


NOTE:  
ALL SEWER AND TRADE WASTE PIPEWORK SHALL BE INSTALLED AT THE FOLLOWING MINIMUM GRADES UNLESS OTHERWISE STATED:  
• Ø40-Ø65 : 2.50% MINIMUM  
• Ø100 : 1.65% MINIMUM  
• Ø150 : 1.00% MINIMUM  
ALL VENT PIPEWORK SHALL BE INSTALLED AT 125% MINIMUM GRADE UNLESS OTHERWISE STATED.

REV	DESCRIPTION	DATE	CHK'D
C	CONSTRUCTION ISSUE	13.12.18	AS
B	CONSTRUCTION ISSUE	21.11.18	AS
A	CONSTRUCTION ISSUE	21.09.18	AS

**LUCID**  
CONSULTING AUSTRALIA  
Level 3/169 Pirie St Adelaide SA 5000  
Phone: (08) 8407 9700  
Email: adelaide@lucidconsulting.com.au



PROJECT  
**THE WILLCOX APARTMENTS**  
117 PROSPECT ROAD, PROSPECT

DRAWING  
**LEVEL 1**  
SANITARY DRAINAGE ARRANGEMENT

HYDRAULIC SERVICES

SCALE  
1:100@A1

DATE  
SEPTEMBER 2018

DESIGNED  
JZ

DRAWN  
JZ/ML

No. IN SET  
4 OF 17

DRAWING NUMBER  
LCE13523-H04

REVISION  
C

CONSTRUCTION ISSUE