



NOTE:
ALL SEWER AND TRADE WASTE PIPEWORK SHALL BE INSTALLED AT THE FOLLOWING MINIMUM GRADES UNLESS OTHERWISE STATED:
• Ø40-Ø65 : 2.50% MINIMUM
• Ø100 : 1.65% MINIMUM
• Ø150 : 1.00% MINIMUM
ALL VENT PIPEWORK SHALL BE INSTALLED AT 125% MINIMUM GRADE UNLESS OTHERWISE STATED.

REV	DESCRIPTION	DATE	CHK'D
B	CONSTRUCTION ISSUE	21.11.18	AS
A	CONSTRUCTION ISSUE	21.09.18	AS

Level 3/169 Pirie St Adelaide SA 5000
Phone: (08) 8407 9700
Email: adelaide@lucidconsulting.com.au

PROJECT	THE WILLCOX APARTMENTS 117 PROSPECT ROAD, PROSPECT		
DRAWING	LEVEL 3 SANITARY DRAINAGE ARRANGEMENT		
HYDRAULIC SERVICES			
SCALE 1:100@A1	DATE SEPTEMBER 2018	No. IN SET 6 OF 17	
DESIGNED JZ	DRAWN JZ/ML	DRAWING NUMBER LCE13523-H06	REVISION B

CONSTRUCTION ISSUE