

BUILDING AUTHORITY ROOF TRUSS CERTIFICATION**PROJECT IDENTIFICATION**Quote Number: **TT09727**Customer: **D'ANDREA**Site Address: **DW1/ 541 ANZAC HWY
GLENELG EAST SA 5045 AUS**Structure Type: **House**

This is to certify that the prefabricated timber roof trusses and pre-cut hip end members supplied to the above project were manufactured using MULTINAIL metal connectors and detailed using MULTINAIL computer truss design programs, in accordance with the National Construction Code.
The roof truss design and detailing assumes the supporting structure is stable within its own right before the installation of the roof trusses.


The specifications used in the design of the trusses were as follows :

ROOF SHAPE	: Standard	ROOFING	: Metal Sheet@7kg/m²
TIMBER	: Dry Softwood	TC Fixing/Restraint	: Metal @ 1200c/1200c
SPACING	: 1200 mm	CEILING	: Plaster 10mm Supa Span@8.2kg/m
FASCIA TYPE	: Non-structural	BC Fixing/Restraint	: Metal direct @ 600c/600c
WIND / EXT / INT	: N1 / 0.9 / 0.2	PITCH	: 10.0 / 10.0 deg
		OVERHANG	: 0 / 0

All designed trusses and pre-cut members utilize the following codes:

AS/NZS 1170.0-2002:	Structural Design Actions Part 0: General principles
AS/NZS 1170.1-2002:	Structural Design Actions Part 1: Permanent, imposed and other actions
AS/NZS 1170.2-2011:	Structural Design Actions Part 2: Wind actions
AS/NZS 1170.3-2003:	Structural Design Actions Part 3: Snow and ice actions
AS 4055-2012:	Wind loads for housing
AS 1720.1-2010:	Timber structures Part 1: Design methods
AS 1720.3-2016:	Timber structures Part 3: Design criteria for timber-framed residential buildings
AS 1720.5-2015:	Timber structures Part 5: Nailplated timber roof trusses
AS 1649-2001:	Timber-Methods of test for mechanical fasteners and connectors
AS 4100-1998:	Steel Structures
AS/NZS 4600-2005:	Cold-formed steel structures

All trusses must be braced and erected in accordance with AS4440, Installation of nailplated timber trusses, in conjunction with all local building authority requirements, and any other supplied details.

SIGNATURE : 
NAME : **MATT OPIE**
POSITION : **DETAILER**
DATE : **25/05/2018**

For detailed load information, including AC, Solar, Tank and Storage loads, refer to the detailed Engineering and Submission reports and Roof Layout.