

N1 - IRON ROOF 2 - STOREY

		TRUSS CONNECTIONS	
JOINT GROUP JD4		JOINT TYPE	
JOINT		FIXING DETAILS	
TIEDOWNS TO LINE UP VERTICALLY		TRUSS CONNECTIONS	
NOMINAL FIXINGS		FIXING DETAILS	
WALL FRAMING		DETAIL A1 HIP RAFTER TO TRUNCATED TRUSS	
TOP & BOTTOM PLATES TO STUDS		TOP CHORD - ONE FRAMING ANCHOR BENT TO SUIT, WITH 4/30mm x 2.8mm REINFORCED-HEAD NAILS INTO THE SIDE OF EACH TOP CHORD FOR TRUNCATED GIRDER	
NOGGIN'S		DETAIL B1 JACK RAFTER TO TRUNCATED TRUSS	
BOTTOM PLATE TO CONCRETE SLAB		TOP CHORD - ONE FRAMING ANCHOR BENT TO SUIT, WITH 4/30mm x 2.8mm REINFORCED-HEAD NAILS INTO THE SIDE OF EACH TOP CHORD FOR TRUNCATED GIRDER	
NAIL LAMINATED STUDS		DETAIL C1 EXTENDED JACK RAFTER TO TOP CHORD OF TRUNCATED STANDARD TRUSSES	
SIDES OF OPENINGS TO PLATE		2/75mm x 3.05 SKEW NAILS INTO THE SIDE OF EACH TOP CHORD	
FIXING TO SLAB/FLOOR @ EACH END OF STRUCTURAL BRACE		DETAIL D1 CREEPER OR JACK RAFTER TO HIP RAFTER (MAX STATION 1800mm)	
ROOF FRAMING		DETAIL E1 CREEPER OR JACK RAFTER TO HIP RAFTER (MAX STATION 3000mm)	
RAFTER / TRUSS TO FRAME		DETAIL F1 HANGING BEAM FIXING	
RAFTER / TRUSS INTERNAL SUPPORT TO FRAME		DETAIL G1 CEILING TRIMMER FIXING	
CEILING JOISTS TO TOP PLATE		DETAIL A1 or B1	
COLLAR TIES TO RAFTERS		DETAIL C1 or D1	
RAFTER TO RAFTER @ RIDGE		DETAIL D1 or E1	
RAFTER TO UNDERPURLIN		DETAIL B1	
HIP RAFTER TO UNDERPURLIN		DETAIL F1	
VERANDAH BEAM TO POSTS		DETAIL G1	
ROOF BATTENS		DETAIL D1 or E1	
FLOOR FRAMING		DETAIL B1	
BOTTOM PLATE TO FLOOR FRAME		DETAIL C1 or D1	
UPPER FRAME TO LOWER FRAME		DETAIL E1	
EACH END OF STRUCTURAL BRACE		DETAIL F1	
ROOF BATTEN SPLICING CRITERIA		DETAIL G1	

