


LEVEL 1 FRAMING PLAN

| Level 1 Member Schedule |        |                      |
|-------------------------|--------|----------------------|
| Mark                    | Member | Remarks              |
| SB1                     | 530UB  | Composite floor beam |
| SB2                     | 460UB  | Composite floor beam |
| SB3                     | 410UB  | Composite floor beam |
| SB4                     | 610UB  | Composite floor beam |
| SB5                     | 200UB  | Composite floor beam |
| SB6                     | 610UB  | Composite floor beam |
| SB7                     | 530UB  | Composite floor beam |
| PB1                     | 530UB  | Composite floor beam |
| PB2                     | 610UB  | Composite floor beam |
| PB3                     | 360UB  | Composite floor beam |
| PB4                     | 610UB  | Composite floor beam |
| PB5                     | 610UB  | Composite floor beam |
| PB6                     | 610UB  | Composite floor beam |
| EB1                     | 250PFC | Floor beam           |
| EB2                     | 250PFC | Floor beam           |
| SA1                     | 100EA  | Seating angle        |
| C1                      | 200SHS | Column               |
| C2                      | 200SHS | Column               |
| C3                      | 250SHS | Column               |
|                         |        |                      |
|                         |        |                      |



PRELIMINARY ISSUE  
NOT FOR CONSTRUCTION

| REV. | DATE     | DESCRIPTION | DRAFT | ENG. | CHKD |
|------|----------|-------------|-------|------|------|
| A    | 03/08/18 | Preliminary | SDF   | SDF  |      |
|      |          |             |       |      |      |
|      |          |             |       |      |      |

WGA

WALLBRIDGE GILBERT  
AZTEC

60 Wyatt Street, Adelaide  
South Australia 5000  
Telephone 08 8223 7433  
Email [adelaide@wga.com.au](mailto:adelaide@wga.com.au)

GOODWOOD APARTMENTS

LEVEL 1 FRAMING PLAN

A1

Design  
SDF

DRAWING NUMBER

Job Number  
ADL189743

Sheet No.  
STRSK01

Rev.  
A