



**TYPICAL BAND BEAM CONNECTION TO PILE CAP DETAIL**  
SCALE 1:20**TYPICAL RETENTION PILE DETAIL  
(SHOWING GENERAL ARRANGEMENT)**  
SCALE 1:20**TYPICAL RETENTION PILE ARRANGEMENT****SERVICE TRENCH-FOOTING DETAIL**  
(N.T.S.)





NOTE:  
WHERE THE SERVICE TRENCH DEPTH EXCEEDS THE DEPTH OF THE ADJACENT FOOTING BEAM, THEN THE FOOTING DEPTH IS TO BE INCREASED EQUAL TO EDGE DISTANCE OF THE SERVICE TRENCH.

**EXTERNAL T-INTERSECTION:**  
WHERE REBATE DEPTH IS LARGER THAN 35mm, STRIP FOOTINGS OR E-D SITES PROVIDE 2 LAP BARS TOP & BOTTOM AS SHOWN. WHERE REBATE IS LESS THAN 35mm, EXTEND TOP & BOTTOM INTERNAL BARS TO FULL EXTERNAL CAGE WIDTH

**EXTERNAL CORNERS:**  
PROVIDE 1 CORNER LAP BAR TOP & BOTTOM AS SHOWN TO ALL REAT FOOTINGS. WHERE REBATE DEPTH IS LARGER THAN 35mm, STRIP FOOTINGS OR E-D SITES PROVIDE 2 CORNER LAP BARS TOP & BOTTOM AS SHOWN

**TYPICAL BEAM JUNCTION DETAILS**

NOTES:  
1. REINFORCING BARS ARE INDICATIVE ONLY.  
2. REFER TO ARCHITECTURAL DRAWINGS FOR REBATE LOCATIONS & DEPTHS.

**TYPICAL SECTION THROUGH LIFT PIT**  
SCALE 1:20**TYPICAL CONCRETE PILE CAP DETAIL**  
SCALE 1:20**SECTION THROUGH SLAB STEP**  
N.T.S.**TYPICAL SECTION THROUGH  
SLAB PENETRATION**  
(N.T.S.)

TENDER ISSUE

02.07.19	ISSUED FOR TENDER	T
Date	Revision	Issue

PT Design

PT Design Associates Pty Ltd 141-149 Ifould St Adelaide SA 5000  
T [08 8412 4300] F [08 8232 4311] E [ptdesign@ptdesign.net.au]

Designer	RW	Drawn	82 & MM
Approved	Approver	Date	02/07/2019 1:02:50 PM
STRUCTURAL	Sheet	1 of 1	

Project	Client	N
HYDE PARK PLACE 248 UNLEY ROAD, HYDE PARK SA	CITYFY & BFC PTY LTD	+
Drawing Title	Scale	
STRUCTURAL DETAILS (Sheet 1)	1:20	
Drawing Number	Issue	
20492-S32	T	