



LEGEND

- CONCRETE PAVEMENT
- CONCRETE SLAB (REFER TO STRUCTURAL DRAWINGS)
- SELECTED PAVEMENT
- LANDSCAPING / GRASSED AREA
- EXISTING SPOT LEVEL
- EXISTING CONTOUR
- 100 HIGH CONCRETE KERB
- 300 WIDE CONCRETE SPOON DRAIN (MIN. FALL 1:200)
- FORMED/UNLINED OPEN DRAIN (MIN. FALL 1:200)
- PUMPING MAIN, AS PER SUMP PUMP SPEC.
- Ø100 PVC STORMWATER PIPE @ 1.0% MIN U.N.O.
- Ø100 uPVC STORMWATER PIPE (SEALED) U.N.O.
- Ø100 AG. DRAIN WITH 16mm SCREENINGS
- SELECTED Ø100 DOWNPIPE
- BOX GUTTER WITH INTERNAL 100mm DEEP SUMP AND Ø150 DOWNPIPE
- 100 WIDE GRATED TRENCH DRAIN
- 400 WIDE X 100 DEEP BOX GUTTER (BG1)
- SURFACE INSPECTION OPENING
- Ø90 GRATED INLET PIT
- 300SQ. GRATED SUMP (UNO)
- 450SQ. GRATED SUMP (UNO)
- 450SQ. JUNCTION BOX (UNO)
- CONCRETE UPSTAND (500 MAX)
- DESIGN LEVEL
- TOP OF KERB
- WATER TABLE
- PAVEMENT
- TOP OF RETAINING WALL
- BOTTOM OF RETAINING WALL
- COVER LEVEL
- INVERT LEVEL
- FINISHED FLOOR LEVEL
- BENCH LEVEL
- N.S. NATURAL SURFACE LEVEL

PLEASE NOTE:
THE LOCATION OF EXISTING STRUCTURES ADJACENT TO THE AREA OF CONSTRUCTION ARE TO BE CHECKED ON SITE BY THE BUILDER / CONTRACTOR. SHOULD A RISK OF POTENTIALLY UNDERMINING AN EXISTING STRUCTURE EXIST, THIS OFFICE IS TO BE NOTIFIED IMMEDIATELY.

E	FOR BUILDING APPROVAL	ALP	FKK	24.07.19
D	FOR BUILDING APPROVAL	ALP	FKK	15.07.19
C	FOR BUILDING APPROVAL	ALP	FKK	26.06.19
B	FOR BUILDING APPROVAL	ALP	FKK	26.06.19
A	FOR BUILDING APPROVAL	ALP	FKK	21.05.19
No	REVISION	DRAWN	CHE/KD	DATE

PROJECT
**PROPOSED APARTMENT
AT: 90 JOHNS ROAD
PROSPECT
FOR: CITIFY & BFC Pty Ltd**

DRAWING TITLE
CIVIL PLAN

Civil
Environmental
Mechanical
Fire
Lifts

Structural
Geotechnical
Electrical
Hydraulics
Green ESD

Level 6, 100 Pirie Street,
Adelaide SA 5000
Telephone 08 8238 4100
Facsimile 08 8410 1405
Berri Office: 25 Vaughan Terrace,
Berri SA 5343

TMK
CONSULTING ENGINEERS

SCALES	AS SHOWN	© COPYRIGHT RESERVED
DRAWN	ALP	DRAWING No.
DATE	AUG '18	1806063-C1/E
ENGINEER	ALP	
CHECKED	FKK	