



SYSTEM SPECIFICATION		
Refer to GYP548 Gyprock Commercial Installation Guide for further information		
FRL Report/Opinion	SYSTEM N°	PLASTERBOARD LININGS
30/-/- CSIRO FCO 1494	CSR 1800 	<ul style="list-style-type: none"> 1 x 13mm Gyprock Fyrchek plasterboard.
60/-/- CSIRO FCO 1494	CSR 1805 	<ul style="list-style-type: none"> 2 x 13mm Gyprock Fyrchek plasterboard.
90/-/- CSIRO FCO 1494	CSR 1810 	<ul style="list-style-type: none"> 2 x 16mm Gyprock Fyrchek plasterboard.
120/-/- CSIRO FCO 1494	CSR 1815 	<ul style="list-style-type: none"> 3 x 13mm Gyprock Fyrchek plasterboard.

SYSTEM SPECIFICATION		
Refer to GYP548 Gyprock Commercial Installation Guide for further information		
FRL Report/Opinion	SYSTEM N°	PLASTERBOARD LININGS
30/-/- CSIRO FCO 1494	CSR 1820 	<ul style="list-style-type: none"> 1 x 13mm Gyprock Fyrchek plasterboard.
60/-/- CSIRO FCO 1494	CSR 1825 	<ul style="list-style-type: none"> 2 x 13mm Gyprock Fyrchek plasterboard.
90/-/- CSIRO FCO 1494	CSR 1830 	<ul style="list-style-type: none"> 2 x 16mm Gyprock Fyrchek plasterboard.
120/-/- CSIRO FCO 1494	CSR 1835 	<ul style="list-style-type: none"> 3 x 13mm Gyprock Fyrchek plasterboard.