



restraint: none

LEFT ← → RIGHT

Connection Table		
A	HEEL_HS	SC-HEEL-HS-F-90-10-1
B	CHORDPT	SC-CHORDPT-A-90-10-2
C	APEX_HS	SC-APEX-HS-F-90-10-1


ANALYSIS		QTY
Status	PASS	1
Approved BY		



QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 750

Chords and webs placed flange-DOWN.

Min screws per conn: 1 (Screw locations diagrammatic only. Refer connection sheet for details.)
Double Girder-truss
All parts in the front truss (A) are numbered 001A, 002A etc
All parts in the rear truss (B) are numbered 001B, 002B etc



PARTS LIST (per truss)										ASSEMBLY DETAILS			TRUSS DETAILS		
DESCRIPTION	No.	LEN	MAT	QTY	DESCRIPTION	No.	LEN	MAT	QTY	APEX HEIGHT	LEFT PITCH	RIGHT PITCH	UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT
C9010ra	001A	2932	1.00	1	C9010ra	006A	704	1.00	1	N/A	-	-	2977	810	36.9
C9010ra	001B	2932	1.00	1	C9010ra	006B	704	1.00	1				Precamber = 0.0 mm	DETAILER	DETAILED
C9010ra	002A	969	1.00	1	C9010ra	010A	545.6	1.00	1	VANTAGE_DS	23-10-2019	1:20			
C9010ra	002B	969	1.00	1	C9010ra	010B	545.6	1.00	1	JOB NUMBER		TRUSS			
C9010ra	003A	404	1.00	1	C9010ra	020A	443	1.00	1	TSF_4410		T001			
C9010ra	003B	404	1.00	1	C9010ra	020B	443	1.00	1	Machine Type				ENDUROTRUSS	
C9010ra	004A	2887	1.00	1	C9010ra	030A	443	1.00	1	FABRICATOR:	TRUE STEEL FRAMES	Page 1 of 2			
C9010ra	004B	2887	1.00	1	C9010ra	030B	443	1.00	1	CLIENT REF:	4 REDWOOD ST, ROSTREVOR				
C9010ra	005A	344	1.00	1	C9010ra	040A	443	1.00	1	CUSTOMER :					
C9010ra	005B	344	1.00	1	C9010ra	040B	443	1.00	1						
Continued on page 2															

DESCRIPTION	No.	LEN	MAT	QTY
C9010ra	050A	443	1.00	1
C9010ra	050B	443	1.00	1
C9010ra	060A	455.8	1.00	1
C9010ra	060B	455.8	1.00	1
C9010ra	070A	455.8	1.00	1
C9010ra	070B	455.8	1.00	1
C9010ra	080A	429.4	1.00	1
C9010ra	080B	429.4	1.00	1
C9010ra	090A	344	1.00	1
C9010ra	090B	344	1.00	1
C9010ra	100A	492.5	1.00	1
C9010ra	100B	492.5	1.00	1
TRUSSTITE				27
SCREW-12-14x20-HEX				2

restraint: none

LEFT ← → RIGHT

ANALYSIS		QTY
Status	PASS	1
Approved BY		

Chord - Web Connections

040-3

Part Id
Total no. fasteners at each end of the web

Connection type: (Apex,knee,heel,elbow,chorcpt)

SC-HEEL-A-75-10-6


Truss system: ENDUROTRUSS (c) C profile

Channel depth: Depth of channel -section in mm

Channel gauge: (75 = 0.75 mm BMT 10 = 1.0 mm BMT) etc

Fastener number: Total number of fasteners used in the connection including locating truss screw and reinforcing screws


Connection Table		
A	HEEL_HS	SC-HEEL-HS-F-90-10-1
B	APEX_HS	SC-APEX-HS-F-90-10-1



QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 449

Chords and webs placed flange-DOWN.

Min screws per conn: 1 (Screw locations diagrammatic only. Refer connection sheet for details.)
Double Girder-truss
All parts in the front truss (A) are numbered 001A, 002A etc
All parts in the rear truss (B) are numbered 001B, 002B etc



PARTS LIST (per truss)										ASSEMBLY DETAILS			TRUSS DETAILS		
DESCRIPTION	No.	LEN	MAT	QTY	DESCRIPTION	No.	LEN	MAT	QTY	APEX HEIGHT	LEFT PITCH	RIGHT PITCH	UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT
C9010ra	001A	5609	1.00	1	C9075ra	020A	510.8	0.75	1	N/A	-	-	5609	450	49.9
C9010ra	001B	5609	1.00	1	C9075ra	020B	510.8	0.75	1				Precamber = 1.0 mm	DETAILER	DETAILED
C9010ra	002A	404	1.00	1	C9075ra	030A	510.6	0.75	1	VANTAGE_DS	23-10-2019	1:30			
C9010ra	002B	404	1.00	1	C9075ra	030B	510.6	0.75	1	JOB NUMBER	TRUSS				
C9010ra	003A	5519	1.00	1	C9075ra	040A	510.6	0.75	1	TSF_4410		T002			
C9010ra	003B	5519	1.00	1	C9075ra	040B	510.6	0.75	1	Machine Type					
C9010ra	004A	404	1.00	1	C9075ra	050A	510.4	0.75	1	FABRICATOR:	TRUE STEEL FRAMES			ENDUROTRUSS	
C9010ra	004B	404	1.00	1	C9075ra	050B	510.4	0.75	1	CLIENT REF:	4 REDWOOD ST, ROSTREVOR		Page 1 of 2		
C9075ra	010A	456.8	0.75	1	C9075ra	060A	510.4	0.75	1	CUSTOMER :	BERT FARINA CONSTRUCTION				
C9075ra	010B	456.8	0.75	1	C9075ra	060B	510.4	0.75	1						
Continued on page 2															

DESCRIPTION	No.	LEN	MAT	QTY
C9075ra	070A	510.3	0.75	1
C9075ra	070B	510.3	0.75	1
C9075ra	080A	510.3	0.75	1
C9075ra	080B	510.3	0.75	1
C9075ra	090A	510.4	0.75	1
C9075ra	090B	510.4	0.75	1
C9075ra	100A	510.4	0.75	1
C9075ra	100B	510.4	0.75	1
C9075ra	110A	510.6	0.75	1
C9075ra	110B	510.6	0.75	1
C9075ra	120A	510.6	0.75	1
C9075ra	120B	510.6	0.75	1
C9075ra	130A	510.8	0.75	1
C9075ra	130B	510.8	0.75	1
C9075ra	140A	456.8	0.75	1
C9075ra	140B	456.8	0.75	1
TRUSSTITE				32

restraint: none

LEFT ← → RIGHT

ANALYSIS		QTY
Status	PASS	1
Approved BY		

Chord - Web Connections

040-3

Part Id
Total no. fasteners at each end of the web

Connection type: (Apex,knee,heel,elbow,chordpt)

SC-HEEL-A-75-10-6

Truss system: ENDUROTRUSS (c) C profile

Channel depth: Depth of channel -section in mm

75

Connection variant: (A is heel with no stiffener)

A


Fastener number: Total number of fasteners used in the connection including locating truss screw and reinforcing screws

10

Channel gauge: (75 = 0.75 mm BMT 10 = 1.0 mm BMT) etc

6


Connection Table	
A	HEEL_HS SC-HEEL-HS-F-90-10-1
B	APEX_HS SC-APEX-HS-F-90-10-1



QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 449

Chords and webs placed flange-DOWN.

Min screws per conn: 1 (Screw locations diagrammatic only. Refer connection sheet for details.)
Double Girder-truss
All parts in the front truss (A) are numbered 001A, 002A etc
All parts in the rear truss (B) are numbered 001B, 002B etc



PARTS LIST (per truss)										ASSEMBLY DETAILS			TRUSS DETAILS			
DESCRIPTION	No.	LEN	MAT	QTY	DESCRIPTION	No.	LEN	MAT	QTY	APEX HEIGHT	LEFT PITCH	RIGHT PITCH	UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT	
C9010ra	001A	6924	1.00	1	C9075ra	010A	473.9	0.75	1	N/A	-	-	6924	455	60.8	
C9010ra	001B	6924	1.00	1	C9075ra	010B	473.9	0.75	1				Precamber = 1.0 mm	DETAILER	DETAILED	SCALE
C9010ra	002A	404	1.00	1	C9075ra	020A	532.3	0.75	1	VANTAGE_DS	23-10-2019	1:40				
C9010ra	002B	404	1.00	1	C9075ra	020B	532.3	0.75	1	JOB NUMBER		TRUSS				
C9010ra	003A	6834	1.00	1	C9075ra	030A	532	0.75	1	TSF_4410		T003				
C9010ra	003B	6834	1.00	1	C9075ra	030B	532	0.75	1	FABRICATOR:	TRUE STEEL FRAMES			Machine Type		ENDUROTRUSS
C9010ra	004A	404	1.00	1	C9075ra	040A	532	0.75	1	CLIENT REF:	4 REDWOOD ST, ROSTREVOR					
C9010ra	004B	404	1.00	1	C9075ra	040B	532	0.75	1	CUSTOMER :	BERT FARINA CONSTRUCTION					
C9010ra	005A	134.2	1.00	1	C9075ra	050A	531.8	0.75	1							
C9010ra	005B	134.2	1.00	1	C9075ra	050B	531.8	0.75	1							
Continued on page 2										Page 1 of 2						

DESCRIPTION	No.	LEN	MAT	QTY
C9075ra	060A	531.8	0.75	1
C9075ra	060B	531.8	0.75	1
C9075ra	070A	531.7	0.75	1
C9075ra	070B	531.7	0.75	1
C9075ra	080A	531.7	0.75	1
C9075ra	080B	531.7	0.75	1
C9075ra	090A	531.7	0.75	1
C9075ra	090B	531.7	0.75	1
C9075ra	100A	531.7	0.75	1
C9075ra	100B	531.7	0.75	1
C9075ra	110A	531.9	0.75	1
C9075ra	110B	531.9	0.75	1
C9075ra	120A	531.9	0.75	1
C9075ra	120B	531.9	0.75	1
C9075ra	130A	532.1	0.75	1
C9075ra	130B	532.1	0.75	1
C9075ra	140A	532.1	0.75	1
C9075ra	140B	532.1	0.75	1
C9075ra	150A	532.4	0.75	1
C9075ra	150B	532.4	0.75	1
C9075ra	160A	473.9	0.75	1
C9075ra	160B	473.9	0.75	1
TRUSSTITE				36
SCREW-10-16x16-HEX				4
SCREW-12-14x20-HEX				2

restraint: none

LEFT ← → RIGHT

ANALYSIS		QTY
Status	PASS	1
Approved BY		

Chord - Web Connections

040-3

Part Id
Total no. fasteners at each end of the web

Connection type: (Apex,knee,heel,elbow,chorcpt)

SC-HEEL-A-75-10-6

Truss system: ENDUROTRUSS C profile


Channel depth: Depth of channel -section in mm

Channel gauge: (75 = 0.75 mm BMT 10 = 1.0 mm BMT) etc

Fastener number: Total number of fasteners used in the connection including locating truss screw and reinforcing screws

Connection variant: (A is heel with no stiffener)


Connection Table	
A	HEEL_HS SC-HEEL-HS-F-90-75-1
B	APEX_HS SC-APEX-HS-F-90-75-1



QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 450

Chords and webs placed flange-DOWN.

Min screws per conn: 1 (Screw locations diagrammatic only. Refer connection sheet for details.)
Double Girder-truss
All parts in the front truss (A) are numbered 001A, 002A etc
All parts in the rear truss (B) are numbered 001B, 002B etc



PARTS LIST (per truss)										ASSEMBLY DETAILS			TRUSS DETAILS			
DESCRIPTION	No.	LEN	MAT	QTY	DESCRIPTION	No.	LEN	MAT	QTY	APEX HEIGHT	LEFT PITCH	RIGHT PITCH	UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT	
C9075ra	001A	5700.8	0.75	1	C9075ra	020A	474.6	0.75	1	N/A	-	-	5701	450	43.4	
C9075ra	001B	5700.8	0.75	1	C9075ra	020B	474.6	0.75	1				Precamber = 0.0 mm	DETAILER	DETAILED	SCALE
C9075ra	002A	404	0.75	1	C9075ra	030A	474.6	0.75	1	VANTAGE_DS	23-10-2019	1:30				
C9075ra	002B	404	0.75	1	C9075ra	030B	474.6	0.75	1	JOB NUMBER		TRUSS				
C9075ra	003A	5610.8	0.75	1	C9075ra	040A	474.6	0.75	1	TSF_4410		T004				
C9075ra	003B	5610.8	0.75	1	C9075ra	040B	474.6	0.75	1	FABRICATOR:	TRUE STEEL FRAMES			Machine Type		
C9075ra	004A	404	0.75	1	C9075ra	050A	455.8	0.75	1	4 REDWOOD ST, ROSTREVOR						
C9075ra	004B	404	0.75	1	C9075ra	050B	455.8	0.75	1	CLIENT REF:	4 REDWOOD ST, ROSTREVOR		ENDUROTRUSS			
C9075ra	010A	430.7	0.75	1	C9075ra	060A	455.8	0.75	1	CUSTOMER :	BERT FARINA CONSTRUCTION					
C9075ra	010B	430.7	0.75	1	C9075ra	060B	455.8	0.75	1				Page 1 of 2			
Continued on page 2																


DESCRIPTION	No.	LEN	MAT	QTY
C9075ra	070A	494.7	0.75	1
C9075ra	070B	494.7	0.75	1
C9075ra	080A	494.7	0.75	1
C9075ra	080B	494.7	0.75	1
C9075ra	090A	494.7	0.75	1
C9075ra	090B	494.7	0.75	1
C9075ra	100A	494.7	0.75	1
C9075ra	100B	494.7	0.75	1
C9075ra	110A	494.7	0.75	1
C9075ra	110B	494.7	0.75	1
C9075ra	120A	494.7	0.75	1
C9075ra	120B	494.7	0.75	1
C9075ra	130A	494.7	0.75	1
C9075ra	130B	494.7	0.75	1
C9075ra	140A	494.7	0.75	1
C9075ra	140B	494.7	0.75	1
C9075ra	150A	494.7	0.75	1
C9075ra	150B	494.7	0.75	1
C9075ra	160A	444.8	0.75	1
C9075ra	160B	444.8	0.75	1
TRUSSTITE				36
SCREW-12-14x20-HEX				14

smart: YES flush: YES
restraint: none

LEFT  RIGHT

ANALYSIS		QTY
Status	PASS	1
Approved BY		

Connection Table		
A	HEEL_HS	SC-HEEL-HS-F-90-75-1
B	APEX_HS	SC-APEX-HS-F-90-75-1



The diagram illustrates a chord web connection. On the left, a cross-section of a chord web is shown with a central vertical web and two horizontal flanges. The top flange is labeled 'Chord - Web Connections'. The bottom flange is labeled 'Part Id' and 'Total no. fasteners at each end of the web'. The central web is labeled 'Truss system: END/ROT/TRANS (C) B profile'. The right flange is labeled 'Connection variant: (A is heel with no stiffener)'. The bottom flange is labeled 'Channel gauge: (75 = 0.75 mm BMT, 10 = 1.0 mm BMT) etc'. The right flange is also labeled 'Fastener number: Total number of fasteners used in the connection including locating truss screw and reinforcing screws'. The right flange is also labeled 'Connection type: (Apex,knee,heel, elbow, chordpt)'. The right flange is also labeled 'Channel depth: Depth of channel -section in mm'.

Chord - Web Connections

Part Id

Total no. fasteners at each end of the web

Truss system: END/ROT/TRANS (C) B profile

Connection variant: (A is heel with no stiffener)

Channel gauge: (75 = 0.75 mm BMT, 10 = 1.0 mm BMT) etc

Fastener number: Total number of fasteners used in the connection including locating truss screw and reinforcing screws

Connection type: (Apex,knee,heel, elbow, chordpt)

Channel depth: Depth of channel -section in mm

040-3

SC-HEEL-A-75-10-6

QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 450

Chords and webs placed flange-DOWN.

Min screws per conn: 1 (Screw locations diagrammatic only. Refer connection sheet for details.)

PARTS LIST (per truss)

DESCRIPTION	No.	LEN	MAT	QTY
C9075ra	001	1064	0.75	1
C9075ra	002	404	0.75	1
C9075ra	003	974	0.75	1
C9075ra	004	404	0.75	1
C9075ra	010	522.4	0.75	1
C9075ra	020	522.4	0.75	1
TRUSSTITE				8

ASSEMBLY DETAILS

APEX HEIGHT	LEFT PITCH	RIGHT PITCH
N/A	-	-
<p>Precamber = 0.0 mm</p>		
FABRICATOR:	TRUE STEEL FRAMES	
CLIENT REF:	4 REDWOOD ST, ROSTREVOR	
CUSTOMER :	BERT FARINA CONSTRUCTION	

TRUSS DETAILS



UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT
1064	450	4.3
DETAILER	DETAILED	SCALE
VANTAGE_DS	23-10-2019	1:7
JOB NUMBER		TRUSS
TSF_4410		T005
Machine Type		ENDUROTRUSS

restraint: none

LEFT ← → RIGHT

Connection Table		
A	HEEL_HS	SC-HEEL-HS-F-90-10-1
B	APEX_HS	SC-APEX-HS-F-90-10-1

ANALYSIS		QTY
Status	PASS	1
Approved BY		




QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 449

Chords and webs placed flange-DOWN.

Min screws per conn: 1 (Screw locations diagrammatic only. Refer connection sheet for details.)

Double Girder-truss
All parts in the front truss (A) are numbered 001A, 002A etc
All parts in the rear truss (B) are numbered 001B, 002B etc




PARTS LIST (per truss)										ASSEMBLY DETAILS			TRUSS DETAILS		
DESCRIPTION	No.	LEN	MAT	QTY	DESCRIPTION	No.	LEN	MAT	QTY	APEX HEIGHT	LEFT PITCH	RIGHT PITCH	UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT
C9010ra	001A	4379	1.00	1	C9010ra	020A	534.5	1.00	1	N/A	-	-	4379	450	42.5
C9010ra	001B	4379	1.00	1	C9010ra	020B	534.5	1.00	1				Precamber = 1.0 mm	DETAILER	DETAILED
C9010ra	002A	404	1.00	1	C9010ra	030A	534.2	1.00	1	VANTAGE_DS	23-10-2019	1:25			
C9010ra	002B	404	1.00	1	C9010ra	030B	534.2	1.00	1	JOB NUMBER		TRUSS			
C9010ra	003A	4289	1.00	1	C9010ra	040A	534.2	1.00	1	TSF_4410		T006			
C9010ra	003B	4289	1.00	1	C9010ra	040B	534.2	1.00	1	Machine Type				ENDUROTRUSS	
C9010ra	004A	404	1.00	1	C9010ra	050A	534.1	1.00	1	FABRICATOR:	TRUE STEEL FRAMES				
C9010ra	004B	404	1.00	1	C9010ra	050B	534.1	1.00	1	CLIENT REF:	4 REDWOOD ST, ROSTREVOR				
C9010ra	010A	475.6	1.00	1	C9010ra	060A	534.1	1.00	1	CUSTOMER :	BERT FARINA CONSTRUCTION				
C9010ra	010B	475.6	1.00	1	C9010ra	060B	534.1	1.00	1						
Continued on page 2										Page 1 of 2					

DESCRIPTION	No.	LEN	MAT	QTY
C9010ra	070A	534.2	1.00	1
C9010ra	070B	534.2	1.00	1
C9010ra	080A	534.2	1.00	1
C9010ra	080B	534.2	1.00	1
C9010ra	090A	534.5	1.00	1
C9010ra	090B	534.5	1.00	1
C9010ra	100A	475.6	1.00	1
C9010ra	100B	475.6	1.00	1
TRUSSTITE				24

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt S90T0.75_S90B0.75_2_2_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	4241	400	15.41
C9075ra	002	4240.9	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	4240.9	0.750	1	VANTAGE_DS\$ 23-10-2019		16
C9075ra	004	400	0.750	1	Job Number		JOIST
C9075ra	020	482.4	0.750	8	TSF_4410		J001
C9075ra	030	465.4	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			24	TRUE STEEL FRAMES		
SCREW-12-14x20-HEX	-			24			
					Fabricator	4 REDWOOD ST, ROSTREVOR	
					Customer		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt S90T0.75_S90B0.75_2_2_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	4241	400	15.41
C9075ra	002	4240.7	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	4240.7	0.750	1	VANTAGE_DS 23-10-2019		16
C9075ra	004	400	0.750	1	Job Number		JOIST
C9075ra	020	482.4	0.750	8	TSF_4410		J002
C9075ra	030	465.3	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			24	TRUE STEEL FRAMES		
SCREW-12-14x20-HEX	-			24			
					Fabricator	4 REDWOOD ST, ROSTREVOR	
					Customer		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt S90T0.75_S90B0.75_2_2_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	4241	400	15.41
C9075ra	002	4240.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	4240.5	0.750	1	VANTAGE_DS\$ 23-10-2019		16
C9075ra	004	400	0.750	1	Job Number		JOIST
C9075ra	020	482.4	0.750	8	TSF_4410		J003
C9075ra	030	465.3	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			24	TRUE STEEL FRAMES		
SCREW-12-14x20-HEX	-			24			
					Fabricator	4 REDWOOD ST, ROSTREVOR	
					Customer		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt S90T0.75_S90B0.75_2_2_450

PARTS LIST (per joist)						JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY		LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1		4240	400	15.41
C9075ra	002	4240.3	0.750	1		DETAILER	DETAILED	SCALE
C9075ra	003	4240.3	0.750	1		VANTAGE_DS\$ 23-10-2019		16
C9075ra	004	400	0.750	1		Job Number		JOIST
C9075ra	020	482.4	0.750	8		TSF_4410		J004
C9075ra	030	465.2	0.750	2		Machine Type		ENDUROTRUSS
TRUSSTITE	-			24		TRUE STEEL FRAMES 4 REDWOOD ST, ROSTREVOR		
SCREW-12-14x20-HEX	-			24				
						Fabricator		
						Customer		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt S90T0.75_S90B0.75_2_2_450

PARTS LIST (per joist)							JOIST DETAILS			
DESCRIPTION	No	LEN	MAT	QTY				LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1				4240	400	15.41
C9075ra	002	4240.1	0.750	1				DETAILER	DETAILED	SCALE
C9075ra	003	4240.1	0.750	1				VANTAGE_DS\$ 23-10-2019		16
C9075ra	004	400	0.750	1				Job Number		JOIST
C9075ra	020	482.4	0.750	8				TSF_4410		J005
C9075ra	030	465.1	0.750	2				Machine Type		ENDUROTRUSS
TRUSSTITE	-			24						
SCREW-12-14x20-HEX	-			24						
					Fabricator		TRUE STEEL FRAMES			
					Customer		4 REDWOOD ST, ROSTREVOR			

DESIGN		QTY
Status	UNKNOWN	3
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt S90T0.75_S90B0.75_2_2_600

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1	4330	450	15.18
C9075ra	002	4330.3	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	4330.3	0.750	1	VANTAGE_DS\$ 23-10-2019		17
C9075ra	020	553.1	0.750	6	Job Number		JOIST
C9075ra	030	735.3	0.750	2	TSF_4410		J006
TRUSSTITE	-			20	Machine Type		ENDUROTRUSS
SCREW-12-14x20-HEX	-			20	Fabricator	TRUE STEEL FRAMES	
					Customer	4 REDWOOD ST, ROSTREVOR	

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt S90T0.75_S90B0.75_2_2_600

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1	4330	450	15.18
C9075ra	002	4330.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	4330.5	0.750	1	VANTAGE_DS\$ 23-10-2019		17
C9075ra	020	553.1	0.750	6	Job Number		JOIST
C9075ra	030	735.4	0.750	2	TSF_4410		J007
TRUSSTITE	-			20	Machine Type		ENDUROTRUSS
SCREW-12-14x20-HEX	-			20	Fabricator	TRUE STEEL FRAMES	
					Customer	4 REDWOOD ST, ROSTREVOR	

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt S90T0.75_S90B0.75_2_2_600

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	002	5450.6	0.750	1	5451	450	19.01
C9075ra	003	5450.6	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	020	553.1	0.750	10	VANTAGE_DS 23-10-2019		21
C9075ra	030	471.4	0.750	2	Job Number		JOIST
TRUSSTITE	-			28	TSF_4410		J008
SCREW-12-14x20-HEX	-			28	Machine Type		ENDUROTRUSS
					Fabricator	TRUE STEEL FRAMES	
					Customer	4 REDWOOD ST, ROSTREVOR	

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	002	5450.7	0.750	1	5451	450	30.76
C9075ra	003	5450.7	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	005	5450.7	0.750	1	VANTAGE_DS 23-10-2019		21
C9075ra	006	5450.7	0.750	1	Job Number		JOIST
C9075ra	020	553.1	0.750	10	TSF_4410		J009
C9075ra	030	471.4	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			28	Fabricator	TRUE STEEL FRAMES	
SCREW-10-16x16-HEX	-			20	Customer	4 REDWOOD ST, ROSTREVOR	
SCREW-12-14x20-HEX	-			28			

DESIGN		QTY
Status	UNKNOWN	3
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_450

PARTS LIST (per joist)												JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY			LENGTH	HEIGHT	WEIGHT
C9075ra	002	5450.9	0.750	1	C9075ra	040	473.9	0.750	2	VANTAGE_DS	5451	450	32.60	
C9075ra	003	2190	0.750	1	C9075ra	050	460.8	0.750	1		DETAILER	DETAILED	SCALE	
C9075ra	004	450	0.750	1	C9075ra	060	482.4	0.750	6		\$ 23-10-2019		21	
C9075ra	005	450	0.750	1	C9075ra	070	442.5	0.750	2		Job Number		JOIST	
C9075ra	006	3760.9	0.750	1	TRUSSTITE	-			37		TSF_4410		J010	
C9075ra	007	400	0.750	1	SCREW-10-16x16-HEX	-			22		Machine Type		ENDUROTRUSS	
C9075ra	008	5450.9	0.750	1	SCREW-12-14x20-HEX	-			37		Fabricator			TRUE STEEL FRAMES
C9075ra	009	2190	0.750	1						Customer			4 REDWOOD ST, ROSTREVOR	
C9075ra	010	3258.9	0.750	1										
C9075ra	030	553.1	0.750	2										

DESIGN		QTY
Status	UNKNOWN	5
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt S90T0.75_S90B0.75_2_2_600

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	002	1690	0.750	1	1690	450	5.93
C9075ra	003	1690	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	020	553.1	0.750	2	VANTAGE_DS\$ 23-10-2019		6
C9075ra	030	451.1	0.750	2	Job Number		JOIST
TRUSSTITE	-			12	TSF_4410		J011
SCREW-12-14x20-HEX	-			12	Machine Type		ENDUROTRUSS
					Fabricator	TRUE STEEL FRAMES	
					Customer	4 REDWOOD ST, ROSTREVOR	

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_600

PARTS LIST (per joist)											JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY		LENGTH	HEIGHT	WEIGHT
C9075ra	002	450	0.750	1	SCREW-10-16x16-HEX	-			22		5650	450	32.23
C9075ra	003	5650	0.750	1							DETAILER	DETAILED	SCALE
C9075ra	004	5650	0.750	1							VANTAGE_DS	\$ 23-10-2019	22
C9075ra	006	5650	0.750	1							Job Number		JOIST
C9075ra	007	5650	0.750	1							TSF_4410		J012
C9075ra	020	553.1	0.750	8							Machine Type		ENDUROTRUSS
C9075ra	030	451.1	0.750	2							Fabricator	TRUE STEEL FRAMES	
C9075ra	040	620.3	0.750	2							Customer	4 REDWOOD ST, ROSTREVOR	
TRUSSTITE	-			30									
SCREW-12-14x20-HEX	-			30									

DESIGN		QTY
Status	UNKNOWN	5
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_600

PARTS LIST (per joist)								JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY				LENGTH	HEIGHT	WEIGHT
C9075ra	002	5650	0.750	1				5650	450	32.24
C9075ra	003	5650	0.750	1				DETAILER	DETAILED	SCALE
C9075ra	004	450	0.750	1				VANTAGE_DS 23-10-2019		22
C9075ra	005	5650	0.750	1				Job Number		JOIST
C9075ra	006	5650	0.750	1				TSF_4410		J013
C9075ra	020	553.1	0.750	10				Machine Type		ENDUROTRUSS
C9075ra	030	532.4	0.750	2						
TRUSSTITE	-			28						
SCREW-12-14x20-HEX	-			28						
SCREW-10-16x16-HEX	-			22						
						Fabricator		TRUE STEEL FRAMES		
						Customer		4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_450

PARTS LIST (per joist)								JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY				LENGTH	HEIGHT	WEIGHT
C9075ra	002	5650	0.750	1				5650	450	32.24
C9075ra	003	5650	0.750	1				DETAILER	DETAILED	SCALE
C9075ra	004	450	0.750	1				VANTAGE_DS\$ 23-10-2019		22
C9075ra	005	5650	0.750	1				Job Number		JOIST
C9075ra	006	5650	0.750	1				TSF_4410		J014
C9075ra	020	553.1	0.750	10				Machine Type		ENDUROTRUSS
C9075ra	030	532.4	0.750	2						
TRUSSTITE	-			28						
SCREW-12-14x20-HEX	-			28		Fabricator	TRUE STEEL FRAMES			
SCREW-10-16x16-HEX	-			22		Customer	4 REDWOOD ST, ROSTREVOR			

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_450

PARTS LIST (per joist)											JOIST DETAILS					
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY		LENGTH	HEIGHT	WEIGHT			
C9075ra	001	450	0.750	1	SCREW-12-14x20-HEX	-			28		5560	450	32.27			
C9075ra	002	5560	0.750	1							DETAILER	DETAILED	SCALE			
C9075ra	003	5560	0.750	1							VANTAGE_DS \$ 23-10-2019		21			
C9075ra	004	450	0.750	1							Job Number		JOIST			
C9075ra	005	5560	0.750	1							TSF_4410		J015			
C9075ra	006	5560	0.750	1							Machine Type		ENDUROTRUSS			
C9075ra	020	553.1	0.750	10							Fabricator					
C9075ra	030	503.2	0.750	2							Customer					
TRUSSTITE	-			28	TRUE STEEL FRAMES											
SCREW-10-16x16-HEX	-			22	4 REDWOOD ST, ROSTREVOR											

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_450

PARTS LIST (per joist)										JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	C9075ra	030	482.4	0.750	2	5560	450	33.27
C9075ra	002	5560	0.750	1	C9075ra	040	636.6	0.750	2	DETAILER	DETAILED	SCALE
C9075ra	003	2630	0.750	1	C9075ra	050	460.8	0.750	1	VANTAGE_DS	\$ 23-10-2019	21
C9075ra	004	450	0.750	1	C9075ra	060	553.1	0.750	4	Job Number		JOIST
C9075ra	005	450	0.750	1	C9075ra	070	578.4	0.750	2	TSF_4410		J016
C9075ra	006	3430	0.750	1	TRUSSTITE	-			33	Machine Type		ENDUROTRUSS
C9075ra	007	450	0.750	1	SCREW-12-14x20-HEX	-			33	Fabricator		
C9075ra	008	5560	0.750	1	SCREW-10-16x16-HEX	-			23	TRUE STEEL FRAMES		
C9075ra	009	2128	0.750	1						Customer		
C9075ra	010	3430	0.750	1						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_450

PARTS LIST (per joist)										JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	C9075ra	030	482.4	0.750	2	5560	450	33.27
C9075ra	002	5560	0.750	1	C9075ra	040	636.6	0.750	2	DETAILER	DETAILED	SCALE
C9075ra	003	2630	0.750	1	C9075ra	050	460.8	0.750	1	VANTAGE_DS\$ 23-10-2019		21
C9075ra	004	450	0.750	1	C9075ra	060	553.1	0.750	4	Job Number		JOIST
C9075ra	005	450	0.750	1	C9075ra	070	578.4	0.750	2	TSF_4410		J017
C9075ra	006	3430	0.750	1	TRUSSTITE	-			33	Machine Type		ENDUROTRUSS
C9075ra	007	450	0.750	1	SCREW-12-14x20-HEX	-			33	Fabricator		
C9075ra	008	5560	0.750	1	SCREW-10-16x16-HEX	-			23	TRUE STEEL FRAMES		
C9075ra	009	2128	0.750	1						Customer		
C9075ra	010	3430	0.750	1						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_450

PARTS LIST (per joist)										JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	C9075ra	030	482.4	0.750	2	5560	450	33.27
C9075ra	002	5560	0.750	1	C9075ra	040	636.6	0.750	2	DETAILER	DETAILED	SCALE
C9075ra	003	2630	0.750	1	C9075ra	050	460.8	0.750	1	VANTAGE_DS	\$ 23-10-2019	21
C9075ra	004	450	0.750	1	C9075ra	060	553.1	0.750	4	Job Number		JOIST
C9075ra	005	450	0.750	1	C9075ra	070	578.4	0.750	2	TSF_4410		J018
C9075ra	006	3430	0.750	1	TRUSSTITE	-			33	Machine Type		ENDUROTRUSS
C9075ra	007	450	0.750	1	SCREW-12-14x20-HEX	-			33	Fabricator		
C9075ra	008	5560	0.750	1	SCREW-10-16x16-HEX	-			23	TRUE STEEL FRAMES		
C9075ra	009	2128	0.750	1						Customer		
C9075ra	010	3430	0.750	1						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_450

PARTS LIST (per joist)										JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	C9075ra	030	482.4	0.750	2	5560	450	33.27
C9075ra	002	5560	0.750	1	C9075ra	040	636.6	0.750	2	DETAILER	DETAILED	SCALE
C9075ra	003	2630	0.750	1	C9075ra	050	460.8	0.750	1	VANTAGE_DS\$ 23-10-2019		21
C9075ra	004	450	0.750	1	C9075ra	060	553.1	0.750	4	Job Number		JOIST
C9075ra	005	450	0.750	1	C9075ra	070	578.4	0.750	2	TSF_4410		J019
C9075ra	006	3430	0.750	1	TRUSSTITE	-			33	Machine Type		ENDUROTRUSS
C9075ra	007	450	0.750	1	SCREW-12-14x20-HEX	-			33	Fabricator		
C9075ra	008	5560	0.750	1	SCREW-10-16x16-HEX	-			23	TRUE STEEL FRAMES		
C9075ra	009	2128	0.750	1						Customer		
C9075ra	010	3430	0.750	1						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_450

PARTS LIST (per joist)										JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	C9075ra	030	482.4	0.750	2	5560	450	33.27
C9075ra	002	5560	0.750	1	C9075ra	040	636.6	0.750	2	DETAILER	DETAILED	SCALE
C9075ra	003	2630	0.750	1	C9075ra	050	460.8	0.750	1	VANTAGE_DS	\$ 23-10-2019	21
C9075ra	004	450	0.750	1	C9075ra	060	553.1	0.750	4	Job Number		JOIST
C9075ra	005	450	0.750	1	C9075ra	070	578.4	0.750	2	TSF_4410		J020
C9075ra	006	3430	0.750	1	TRUSSTITE	-			33	Machine Type		ENDUROTRUSS
C9075ra	007	450	0.750	1	SCREW-12-14x20-HEX	-			33	Fabricator		
C9075ra	008	5560	0.750	1	SCREW-10-16x16-HEX	-			23	TRUE STEEL FRAMES		
C9075ra	009	2128	0.750	1						Customer		
C9075ra	010	3430	0.750	1						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt B90T0.75_B90B0.75_2_2_450

PARTS LIST (per joist)										JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	C9075ra	030	482.4	0.750	2	5560	450	33.27
C9075ra	002	5560	0.750	1	C9075ra	040	636.6	0.750	2	DETAILER	DETAILED	SCALE
C9075ra	003	2630	0.750	1	C9075ra	050	460.8	0.750	1	VANTAGE_DS \$ 23-10-2019		21
C9075ra	004	450	0.750	1	C9075ra	060	553.1	0.750	4	Job Number		JOIST
C9075ra	005	450	0.750	1	C9075ra	070	578.4	0.750	2	TSF_4410		J021
C9075ra	006	3430	0.750	1	TRUSSTITE	-			33	Machine Type		ENDUROTRUSS
C9075ra	007	450	0.750	1	SCREW-12-14x20-HEX	-			33	Fabricator		
C9075ra	008	5560	0.750	1	SCREW-10-16x16-HEX	-			23	TRUE STEEL FRAMES		
C9075ra	009	2128	0.750	1						Customer		
C9075ra	010	3430	0.750	1						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	UNKNOWN	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.



FloorBuilder Vers 1.9-19
Endurocadd Vers 10.00.21
Detail-opt S90T0.75_S90B0.75_2_2_600

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	002	1690	0.750	1	1690	450	5.93
C9075ra	003	1690	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	020	553.1	0.750	2	VANTAGE_DS \$ 23-10-2019		6
C9075ra	030	451.1	0.750	2	Job Number		JOIST
TRUSSTITE	-			12	TSF_4410		J022
SCREW-12-14x20-HEX	-			12	Machine Type		ENDUROTRUSS
					Fabricator	TRUE STEEL FRAMES	
					Customer	4 REDWOOD ST, ROSTREVOR	