



restraint: none

LEFT ← → RIGHT

Connection Table		
A	HEEL_HS	SC-HEEL-HS-F-90-75-1
B	APEX_HS	SC-APEX-HS-F-90-75-1


ANALYSIS		QTY
Status	PASS	1
Approved BY		



QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 449

Chords and webs placed flange-DOWN.

Min screws per conn: 1 ( Screw locations diagrammatic only. Refer connection sheet for details.)  
Double Girder-truss  
All parts in the front truss (A) are numbered 001A, 002A etc  
All parts in the rear truss (B) are numbered 001B, 002B etc



PARTS LIST (per truss)										ASSEMBLY DETAILS			TRUSS DETAILS		
DESCRIPTION	No.	LEN	MAT	QTY	DESCRIPTION	No.	LEN	MAT	QTY	APEX HEIGHT	LEFT PITCH	RIGHT PITCH	UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT
C9075ra	001A	4299	0.75	1	C9075ra	020A	529.1	0.75	1	N/A	-	-	4299	450	31.7
C9075ra	001B	4299	0.75	1	C9075ra	020B	529.1	0.75	1				Precamber = 1.0 mm	DETAILER	DETAILED
C9075ra	002A	404	0.75	1	C9075ra	030A	528.8	0.75	1	VANTAGE_DS	23-10-2019	1:25			
C9075ra	002B	404	0.75	1	C9075ra	030B	528.8	0.75	1	JOB NUMBER		TRUSS			
C9075ra	003A	4209	0.75	1	C9075ra	040A	528.8	0.75	1	TSF_4411		T050			
C9075ra	003B	4209	0.75	1	C9075ra	040B	528.8	0.75	1	FABRICATOR:				TRUE STEEL FRAMES	
C9075ra	004A	404	0.75	1	C9075ra	050A	528.7	0.75	1	CLIENT REF:		4 REDWOOD ST, ROSTREVOR		Machine Type	ENDUROTRUSS
C9075ra	004B	404	0.75	1	C9075ra	050B	528.7	0.75	1	CUSTOMER :		BERT FARINA CONSTRUCTION			
C9075ra	010A	471.2	0.75	1	C9075ra	060A	528.7	0.75	1						
C9075ra	010B	471.2	0.75	1	C9075ra	060B	528.7	0.75	1						
Continued on page 2										Page 1 of 2					



DESCRIPTION	No.	LEN	MAT	QTY
C9075ra	070A	528.8	0.75	1
C9075ra	070B	528.8	0.75	1
C9075ra	080A	528.8	0.75	1
C9075ra	080B	528.8	0.75	1
C9075ra	090A	529.1	0.75	1
C9075ra	090B	529.1	0.75	1
C9075ra	100A	471.2	0.75	1
C9075ra	100B	471.2	0.75	1
TRUSSTITE				24

restraint: none

LEFT ← → RIGHT

Connection Table		
A	CHORDPT	SC-CHORDPT-A-90-75-2
B	HEEL_HS	SC-HEEL-HS-F-90-75-1
C	APEX_HS	SC-APEX-HS-F-90-75-1

ANALYSIS		QTY
Status	PASS	1
Approved BY		



QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 450


Chords and webs placed flange-DOWN.

Min screws per conn: 1 ( Screw locations diagrammatic only. Refer connection sheet for details.)

Double Girder-truss

All parts in the front truss (A) are numbered 001A, 002A etc

All parts in the rear truss (B) are numbered 001B, 002B etc



PARTS LIST (per truss)										ASSEMBLY DETAILS			TRUSS DETAILS			
DESCRIPTION	No.	LEN	MAT	QTY	DESCRIPTION	No.	LEN	MAT	QTY	APEX HEIGHT	LEFT PITCH	RIGHT PITCH	UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT	
C9075ra	001A	969	0.75	1	C9075ra	006A	404	0.75	1	N/A	-	-	3414	750	31	
C9075ra	001B	969	0.75	1	C9075ra	006B	404	0.75	1				Precamber = 0.0 mm	DETAILER	DETAILED	SCALE
C9075ra	002A	3369	0.75	1	C9075ra	010A	436	0.75	1	VANTAGE_DS	23-10-2019	1:20				
C9075ra	002B	3369	0.75	1	C9075ra	010B	436	0.75	1	JOB NUMBER		TRUSS				
C9075ra	003A	704	0.75	1	C9075ra	020A	344	0.75	1	FABRICATOR:		TRUE STEEL FRAMES				
C9075ra	003B	704	0.75	1	C9075ra	020B	344	0.75	1	CLIENT REF:		4 REDWOOD ST, ROSTREVOR				
C9075ra	004A	344	0.75	1	C9075ra	030A	482.3	0.75	1	CUSTOMER :		BERT FARINA CONSTRUCTION				
C9075ra	004B	344	0.75	1	C9075ra	030B	482.3	0.75	1	Machine Type						ENDUROTRUSS
C9075ra	005A	3324	0.75	1	C9075ra	040A	455.8	0.75	1							
C9075ra	005B	3324	0.75	1	C9075ra	040B	455.8	0.75	1							
Continued on page 2																Page 1 of 2

DESCRIPTION	No.	LEN	MAT	QTY
C9075ra	050A	455.8	0.75	1
C9075ra	050B	455.8	0.75	1
C9075ra	060A	479.4	0.75	1
C9075ra	060B	479.4	0.75	1
C9075ra	070A	479.4	0.75	1
C9075ra	070B	479.4	0.75	1
C9075ra	080A	479.4	0.75	1
C9075ra	080B	479.4	0.75	1
C9075ra	090A	479.4	0.75	1
C9075ra	090B	479.4	0.75	1
C9075ra	100A	479.4	0.75	1
C9075ra	100B	479.4	0.75	1
C9075ra	110A	434	0.75	1
C9075ra	110B	434	0.75	1
TRUSSTITE				29
SCREW-12-14x20-HEX				2

restraint: none

LEFT ← → RIGHT

Connection Table		
A	HEEL_HS	SC-HEEL-HS-F-90-75-1
B	APEX_HS	SC-APEX-HS-F-90-75-1

ANALYSIS		QTY
Status	PASS	1
Approved BY		

Chord - Web Connections

040-3

Part Id  
Total no. fasteners at each end of the web

Connection type:  
(Apex,knee,heel,elbow,chordpt)

Channel depth:  
Depth of channel -section in mm


Fastener number:  
Total number of fasteners used in the connection including locating truss screw and reinforcing screws

SC-HEEL-A-75-10-6

Truss system:  
ENDUROTRUSS (c)  
C profile

Connection variant:  
(A is heel with no stiffener)


Channel gauge:  
(75 = 0.75 mm BMT  
10 = 1.0 mm BMT)  
etc



QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 450

Chords and webs placed flange-DOWN.

Min screws per conn: 1 ( Screw locations diagrammatic only. Refer connection sheet for details.)  
Double Girder-truss  
All parts in the front truss (A) are numbered 001A, 002A etc  
All parts in the rear truss (B) are numbered 001B, 002B etc



PARTS LIST (per truss)										ASSEMBLY DETAILS			TRUSS DETAILS		
DESCRIPTION	No.	LEN	MAT	QTY	DESCRIPTION	No.	LEN	MAT	QTY	APEX HEIGHT	LEFT PITCH	RIGHT PITCH	UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT
C9075ra	001A	3384	0.75	1	C9075ra	020A	524	0.75	1	N/A	-	-	3384	450	25.3
C9075ra	001B	3384	0.75	1	C9075ra	020B	524	0.75	1				Precamber = 0.0 mm	DETAILER	DETAILED
C9075ra	002A	404	0.75	1	C9075ra	030A	524	0.75	1	VANTAGE_DS	23-10-2019	1:20			
C9075ra	002B	404	0.75	1	C9075ra	030B	524	0.75	1	JOB NUMBER		TRUSS			
C9075ra	003A	3294	0.75	1	C9075ra	040A	524	0.75	1	TSF_4411		T052			
C9075ra	003B	3294	0.75	1	C9075ra	040B	524	0.75	1	Machine Type				ENDUROTRUSS	
C9075ra	004A	404	0.75	1	C9075ra	050A	524	0.75	1	FABRICATOR:	TRUE STEEL FRAMES				Page 1 of 2
C9075ra	004B	404	0.75	1	C9075ra	050B	524	0.75	1	CLIENT REF:	4 REDWOOD ST, ROSTREVOR				
C9075ra	010A	467.2	0.75	1	C9075ra	060A	524	0.75	1	CUSTOMER :	BERT FARINA CONSTRUCTION				
C9075ra	010B	467.2	0.75	1	C9075ra	060B	524	0.75	1						
Continued on page 2															



DESCRIPTION	No.	LEN	MAT	QTY
C9075ra	070A	524	0.75	1
C9075ra	070B	524	0.75	1
C9075ra	080A	467.2	0.75	1
C9075ra	080B	467.2	0.75	1
TRUSSTITE				20

restraint: none

LEFT ← → RIGHT

Connection Table		
A	HEEL_HS	SC-HEEL-HS-F-90-10-1
B	APEX_HS	SC-APEX-HS-F-90-10-1
C	CHORDPT	SC-CHORDPT-A-90-10-2

ANALYSIS		QTY
Status	PASS	1
Approved BY		



QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 400


Chords and webs placed flange-DOWN.

Min screws per conn: 1 ( Screw locations diagrammatic only. Refer connection sheet for details.)

Double Girder-truss

All parts in the front truss (A) are numbered 001A, 002A etc

All parts in the rear truss (B) are numbered 001B, 002B etc



PARTS LIST (per truss)										ASSEMBLY DETAILS			TRUSS DETAILS			
DESCRIPTION	No.	LEN	MAT	QTY	DESCRIPTION	No.	LEN	MAT	QTY	APEX HEIGHT	LEFT PITCH	RIGHT PITCH	UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT	
C9010ra	001A	4390	1.00	1	C9010ra	006A	354	1.00	1	N/A	-	-	4390	450	43.7	
C9010ra	001B	4390	1.00	1	C9010ra	006B	354	1.00	1				Precamber = 0.0 mm	DETAILER	DETAILED	SCALE
C9010ra	002A	404	1.00	1	C9010ra	010A	530.7	1.00	1	VANTAGE_DS	23-10-2019	1:25				
C9010ra	002B	404	1.00	1	C9010ra	010B	530.7	1.00	1	JOB NUMBER		TRUSS				
C9010ra	003A	999	1.00	1	C9010ra	020A	602.9	1.00	1	TSF_4411		T053				
C9010ra	003B	999	1.00	1	C9010ra	020B	602.9	1.00	1	FABRICATOR:	TRUE STEEL FRAMES			Machine Type		ENDUROTRUSS
C9010ra	004A	404	1.00	1	C9010ra	030A	507.8	1.00	1	4 REDWOOD ST, ROSTREVOR						
C9010ra	004B	404	1.00	1	C9010ra	030B	507.8	1.00	1	CLIENT REF:	BERT FARINA CONSTRUCTION		Page 1 of 2			
C9010ra	005A	3345	1.00	1	C9010ra	040A	358	1.00	1	CUSTOMER :						
C9010ra	005B	3345	1.00	1	C9010ra	040B	358	1.00	1							
Continued on page 2																

DESCRIPTION	No.	LEN	MAT	QTY
C9010ra	050A	412.9	1.00	1
C9010ra	050B	412.9	1.00	1
C9010ra	060A	475.5	1.00	1
C9010ra	060B	475.5	1.00	1
C9010ra	070A	475.5	1.00	1
C9010ra	070B	475.5	1.00	1
C9010ra	080A	475.5	1.00	1
C9010ra	080B	475.5	1.00	1
C9010ra	090A	475.5	1.00	1
C9010ra	090B	475.5	1.00	1
C9010ra	100A	475.5	1.00	1
C9010ra	100B	475.5	1.00	1
C9010ra	110A	415.8	1.00	1
C9010ra	110B	415.8	1.00	1
TRUSSTITE				28
SCREW-12-14x20-HEX				2





restraint: none

LEFT ← → RIGHT

Connection Table		
A	HEEL_HS	SC-HEEL-HS-F-90-10-1
B	APEX_HS	SC-APEX-HS-F-90-10-1

ANALYSIS		QTY
Status	PASS	1
Approved BY		



QUALITY CHECK: Top of TOP CHORD to Bottom of BOTTOM CHORD: 450


Chords and webs placed flange-DOWN.

Min screws per conn: 1 ( Screw locations diagrammatic only. Refer connection sheet for details.)

Double Girder-truss

All parts in the front truss (A) are numbered 001A, 002A etc

All parts in the rear truss (B) are numbered 001B, 002B etc




PARTS LIST (per truss)										ASSEMBLY DETAILS			TRUSS DETAILS			
DESCRIPTION	No.	LEN	MAT	QTY	DESCRIPTION	No.	LEN	MAT	QTY	APEX HEIGHT	LEFT PITCH	RIGHT PITCH	UNCROPPED LENGTH	UNCROPPED HEIGHT	WEIGHT	
C9010ra	001A	3280	1.00	1	C9010ra	020A	515.5	1.00	1	N/A	-	-	3280	450	32.6	
C9010ra	001B	3280	1.00	1	C9010ra	020B	515.5	1.00	1				Precamber = 0.0 mm	DETAILER	DETAILED	SCALE
C9010ra	002A	404	1.00	1	C9010ra	030A	515.5	1.00	1	VANTAGE_DS	23-10-2019	1:20				
C9010ra	002B	404	1.00	1	C9010ra	030B	515.5	1.00	1	JOB NUMBER		TRUSS				
C9010ra	003A	3190	1.00	1	C9010ra	040A	515.5	1.00	1	TSF_4411		T054				
C9010ra	003B	3190	1.00	1	C9010ra	040B	515.5	1.00	1	FABRICATOR:	TRUE STEEL FRAMES			Machine Type		ENDUROTRUSS
C9010ra	004A	404	1.00	1	C9010ra	050A	515.5	1.00	1	4 REDWOOD ST, ROSTREVOR						
C9010ra	004B	404	1.00	1	C9010ra	050B	515.5	1.00	1	CLIENT REF:	BERT FARINA CONSTRUCTION		Page 1 of 2			
C9010ra	010A	460.5	1.00	1	C9010ra	060A	515.5	1.00	1	CUSTOMER :						
C9010ra	010B	460.5	1.00	1	C9010ra	060B	515.5	1.00	1							
Continued on page 2																

DESCRIPTION	No.	LEN	MAT	QTY
C9010ra	070A	515.5	1.00	1
C9010ra	070B	515.5	1.00	1
C9010ra	080A	460.5	1.00	1
C9010ra	080B	460.5	1.00	1
TRUSSTITE				20

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	3231	400	12.03
C9075ra	002	3230.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	3230.5	0.750	1	VANTAGE_DS\$ 23-10-2019		12
C9075ra	004	400	0.750	1	Job Number		JOIST
C9075ra	020	482.4	0.750	6	TSF_4411		J001
C9075ra	030	407.7	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			20	Fabricator		
SCREW-12-14x20-HEX	-			20	TRUE STEEL FRAMES		
					Customer		
					4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	3231	400	12.03
C9075ra	002	3230.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	3230.5	0.750	1	VANTAGE_DS\$ 23-10-2019		12
C9075ra	004	400	0.750	1	Job Number		JOIST
C9075ra	020	482.4	0.750	6	TSF_4411		J002
C9075ra	030	407.7	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			20	Fabricator		
SCREW-12-14x20-HEX	-			20	TRUE STEEL FRAMES		
					Customer		
					4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	3231	400	12.03
C9075ra	002	3230.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	3230.5	0.750	1	VANTAGE_DS\$ 23-10-2019		12
C9075ra	004	400	0.750	1	Job Number		JOIST
C9075ra	020	482.4	0.750	6	TSF_4411		J003
C9075ra	030	407.7	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			20	Fabricator		
SCREW-12-14x20-HEX	-			20	TRUE STEEL FRAMES		
					Customer		
					4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	3231	400	12.03
C9075ra	002	3230.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	3230.5	0.750	1	VANTAGE_DS\$ 23-10-2019		12
C9075ra	004	400	0.750	1	Job Number		JOIST
C9075ra	020	482.4	0.750	6	TSF_4411		J004
C9075ra	030	407.7	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			20	Fabricator		
SCREW-12-14x20-HEX	-			20	TRUE STEEL FRAMES		
					Customer		
					4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	3231	400	12.03
C9075ra	002	3230.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	3230.5	0.750	1	VANTAGE_DS\$ 23-10-2019		12
C9075ra	004	400	0.750	1	Job Number		JOIST
C9075ra	020	482.4	0.750	6	TSF_4411		J005
C9075ra	030	407.7	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			20	Fabricator		
SCREW-12-14x20-HEX	-			20	Customer		
					TRUE STEEL FRAMES		
					4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_600

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1	3233	450	11.91
C9075ra	002	3233	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	3233	0.750	1	VANTAGE_DS\$ 23-10-2019		12
C9075ra	004	450	0.750	1	Job Number		JOIST
C9075ra	020	553.1	0.750	4	TSF_4411		J006
C9075ra	030	661.3	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			16	Fabricator		
SCREW-12-14x20-HEX	-			16	Customer		
					TRUE STEEL FRAMES		
					4 REDWOOD ST, ROSTREVOR		



DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_600

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1	3233	450	11.91
C9075ra	002	3233	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	3233	0.750	1	VANTAGE_DS\$ 23-10-2019		12
C9075ra	004	450	0.750	1	Job Number		JOIST
C9075ra	020	553.1	0.750	4	TSF_4411		J007
C9075ra	030	661.3	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			16	Fabricator		
SCREW-12-14x20-HEX	-			16	TRUE STEEL FRAMES		
					Customer		
					4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_600

PARTS LIST (per joist)						JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY		LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1		3233	450	11.91
C9075ra	002	3233	0.750	1		DETAILER	DETAILED	SCALE
C9075ra	003	3233	0.750	1		VANTAGE_DS\$ 23-10-2019		12
C9075ra	004	450	0.750	1		Job Number		JOIST
C9075ra	020	553.1	0.750	4		TSF_4411		J008
C9075ra	030	661.3	0.750	2		Machine Type		ENDUROTRUSS
TRUSSTITE	-			16		Fabricator		
SCREW-12-14x20-HEX	-			16		Customer		
						TRUE STEEL FRAMES		
						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	3
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1	4346	450	15.23
C9075ra	002	4345.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	4345.5	0.750	1	VANTAGE_DS\$ 23-10-2019		17
C9075ra	020	553.1	0.750	6	Job Number		JOIST
C9075ra	030	741.8	0.750	2	TSF_4411		J009
TRUSSTITE	-			20	Machine Type		ENDUROTRUSS
SCREW-12-14x20-HEX	-			20			
					Fabricator	TRUE STEEL FRAMES	
					Customer	4 REDWOOD ST, ROSTREVOR	

DESIGN		QTY
Status	Unknown	3
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)										JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	TRUSSTITE	-			31	4346	450	16.81
C9075ra	002	4345.5	0.750	1	SCREW-12-14x20-HEX	-			31	DETAILER	DETAILED	SCALE
C9075ra	003	3755.5	0.750	1						VANTAGE_DS 23-10-2019		17
C9075ra	004	450	0.750	1						Job Number		JOIST
C9075ra	005	450	0.750	1						TSF_4411		J010
C9075ra	006	1090	0.750	1						Machine Type		ENDUROTRUSS
C9075ra	020	482.4	0.750	6						Fabricator		
C9075ra	030	440.8	0.750	2						Customer		
C9075ra	040	460.8	0.750	1						TRUE STEEL FRAMES		
C9075ra	050	574.8	0.750	1						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)												JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY			LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	C9075ra	050	460.8	0.750	1		4346	450	16.96	
C9075ra	002	4345.5	0.750	1	C9075ra	060	574.8	0.750	1		DETAILER	DETAILED	SCALE	
C9075ra	003	3755.5	0.750	1	TRUSSTITE	-			31		VANTAGE_DS	\$ 23-10-2019	17	
C9075ra	004	400	0.750	1	SCREW-12-14x20-HEX	-			31		Job Number		JOIST	
C9075ra	005	450	0.750	1							TSF_4411		J011	
C9075ra	006	450	0.750	1							Machine Type		ENDUROTRUSS	
C9075ra	007	1090	0.750	1							Fabricator		TRUE STEEL FRAMES	
C9075ra	020	482.4	0.750	4							Customer		4 REDWOOD ST, ROSTREVOR	
C9075ra	030	517.4	0.750	2										
C9075ra	040	550.1	0.750	1										

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	2746	400	10.14
C9075ra	002	2745.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	2745.5	0.750	1	VANTAGE_DS\$ 23-10-2019		10
C9075ra	004	400	0.750	1	Job Number		JOIST
C9075ra	020	482.4	0.750	4	TSF_4411		J012
C9075ra	030	517.4	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			16	Fabricator		
SCREW-12-14x20-HEX	-			16	TRUE STEEL FRAMES		
					Customer		
					4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)										JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	SCREW-12-14x20-HEX	-			17	1690	450	7.46
C9075ra	002	1690	0.750	1						DETAILER	DETAILED	SCALE
C9075ra	003	1100	0.750	1						VANTAGE_DS 23-10-2019		6
C9075ra	004	450	0.750	1						Job Number		JOIST
C9075ra	005	450	0.750	1						TSF_4411		J013
C9075ra	006	1090	0.750	1						Machine Type		ENDUROTRUSS
C9075ra	020	550.1	0.750	1						Fabricator		
C9075ra	030	460.8	0.750	1						TRUE STEEL FRAMES		
C9075ra	040	574.8	0.750	1						Customer		
TRUSSTITE	-			17						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	5
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)										JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	400	0.750	1	C9075ra	050	574.8	0.750	1	3027	450	12.24
C9075ra	002	3027.2	0.750	1	TRUSSTITE	-			23	DETAILER	DETAILED	SCALE
C9075ra	003	2437.2	0.750	1	SCREW-12-14x20-HEX	-			23	VANTAGE_DS	\$ 23-10-2019	12
C9075ra	004	400	0.750	1						Job Number	JOIST	
C9075ra	005	450	0.750	1						TSF_4411	J014	
C9075ra	006	450	0.750	1						Machine Type	ENDUROTRUSS	
C9075ra	007	1090	0.750	1						Fabricator	TRUE STEEL FRAMES	
C9075ra	020	648.2	0.750	2						Customer	4 REDWOOD ST, ROSTREVOR	
C9075ra	030	550.1	0.750	1								
C9075ra	040	460.8	0.750	1								



DESIGN		QTY
Status	Unknown	2
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_450

PARTS LIST (per joist)												JOIST DETAILS					
DESCRIPTION	No	LEN	MAT	QTY	DESCRIPTION	No	LEN	MAT	QTY			LENGTH	HEIGHT	WEIGHT			
C9075ra	001	400	0.750	1	C9075ra	050	574.8	0.750	1			3027	450	12.24			
C9075ra	002	3027.2	0.750	1	TRUSSTITE	-			23			DETAILER	DETAILED	SCALE			
C9075ra	003	2437.2	0.750	1	SCREW-12-14x20-HEX	-			23			VANTAGE_DS	\$ 23-10-2019	12			
C9075ra	004	400	0.750	1											Job Number		JOIST
C9075ra	005	450	0.750	1											TSF_4411		J015
C9075ra	006	450	0.750	1											Machine Type		ENDUROTRUSS
C9075ra	007	1090	0.750	1											TRUE STEEL FRAMES		
C9075ra	020	648.2	0.750	2											4 REDWOOD ST, ROSTREVOR		
C9075ra	030	550.1	0.750	1													
C9075ra	040	460.8	0.750	1													
										Fabricator		TRUE STEEL FRAMES					
										Customer		4 REDWOOD ST, ROSTREVOR					

DESIGN		QTY
Status	Unknown	5
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_600

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1	4346	450	15.23
C9075ra	002	4345.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	4345.5	0.750	1	VANTAGE_DS\$ 23-10-2019		17
C9075ra	020	553.1	0.750	6	Job Number		JOIST
C9075ra	030	741.8	0.750	2	TSF_4411		J016
TRUSSTITE	-			20	Machine Type		ENDUROTRUSS
SCREW-12-14x20-HEX	-			20	Fabricator	TRUE STEEL FRAMES	
					Customer	4 REDWOOD ST, ROSTREVOR	

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_600

PARTS LIST (per joist)					JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY	LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1	4260	450	15.45
C9075ra	002	4259.5	0.750	1	DETAILER	DETAILED	SCALE
C9075ra	003	4259.5	0.750	1	VANTAGE_DS 23-10-2019		16
C9075ra	004	450	0.750	1	Job Number		JOIST
C9075ra	020	553.1	0.750	6	TSF_4411		J017
C9075ra	030	705.3	0.750	2	Machine Type		ENDUROTRUSS
TRUSSTITE	-			20	Fabricator		
SCREW-12-14x20-HEX	-			20	Customer		
					TRUE STEEL FRAMES		
					4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_600

PARTS LIST (per joist)						JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY		LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1		4260	450	15.45
C9075ra	002	4259.5	0.750	1		DETAILER	DETAILED	SCALE
C9075ra	003	4259.5	0.750	1		VANTAGE_DS\$ 23-10-2019		16
C9075ra	004	450	0.750	1		Job Number		JOIST
C9075ra	020	553.1	0.750	6		TSF_4411		J018
C9075ra	030	705.3	0.750	2		Machine Type		ENDUROTRUSS
TRUSSTITE	-			20		Fabricator		
SCREW-12-14x20-HEX	-			20		Customer		
						TRUE STEEL FRAMES		
						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_600

PARTS LIST (per joist)						JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY		LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1		4260	450	15.45
C9075ra	002	4259.5	0.750	1		DETAILER	DETAILED	SCALE
C9075ra	003	4259.5	0.750	1		VANTAGE_DS\$ 23-10-2019		16
C9075ra	004	450	0.750	1		Job Number		JOIST
C9075ra	020	553.1	0.750	6		TSF_4411		J019
C9075ra	030	705.3	0.750	2		Machine Type		ENDUROTRUSS
TRUSSTITE	-			20		Fabricator		
SCREW-12-14x20-HEX	-			20		Customer		
						TRUE STEEL FRAMES		
						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.




FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_600

PARTS LIST (per joist)						JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY		LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1		4260	450	15.45
C9075ra	002	4259.5	0.750	1		DETAILER	DETAILED	SCALE
C9075ra	003	4259.5	0.750	1		VANTAGE_DS\$ 23-10-2019		16
C9075ra	004	450	0.750	1		Job Number		JOIST
C9075ra	020	553.1	0.750	6		TSF_4411		J020
C9075ra	030	705.3	0.750	2		Machine Type		ENDUROTRUSS
TRUSSTITE	-			20		Fabricator		
SCREW-12-14x20-HEX	-			20		Customer		
						TRUE STEEL FRAMES		
						4 REDWOOD ST, ROSTREVOR		

DESIGN		QTY
Status	Unknown	1
Approved		

Web - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.  
Chord - chord connection - 1 TRUSSTITE & 1 of 12-14x20 reinforcing screw.



FloorBuilder Vers 1.9-19  
Endurocadd Vers 10.00.21  
Detail-opt S90T0.75\_S90B0.75\_2\_2\_600

PARTS LIST (per joist)						JOIST DETAILS		
DESCRIPTION	No	LEN	MAT	QTY		LENGTH	HEIGHT	WEIGHT
C9075ra	001	450	0.750	1		4260	450	15.45
C9075ra	002	4259.5	0.750	1		DETAILER	DETAILED	SCALE
C9075ra	003	4259.5	0.750	1		VANTAGE_DS\$ 23-10-2019		16
C9075ra	004	450	0.750	1		Job Number		JOIST
C9075ra	020	553.1	0.750	6		TSF_4411		J021
C9075ra	030	705.3	0.750	2		Machine Type		ENDUROTRUSS
TRUSSTITE	-			20		Fabricator		
SCREW-12-14x20-HEX	-			20		Customer		
						TRUE STEEL FRAMES		
						4 REDWOOD ST, ROSTREVOR		