



NOTE:
ALL SEWER AND TRADE WASTE PIPEWORK SHALL BE
INSTALLED AT THE FOLLOWING MINIMUM GRADES
UNLESS OTHERWISE STATED:

- $\phi 40$ - $\phi 65$: 2.50% MINIMUM
- $\phi 100$: 1.65% MINIMUM
- $\phi 150$: 1.00% MINIMUM

ALL VENT PIPEWORK SHALL BE INSTALLED AT 125%
MINIMUM GRADE UNLESS OTHERWISE STATED.

REV	DESCRIPTION	DATE	CHK'D
A	CONSTRUCTION ISSUE	21.09.18	AS

Level 3/169 Pirie St Adelaide SA 5000
Phone: (08) 8407 9700
Email: adelaide@lucidconsulting.com.au

CLIENT

PROJECT

THE WILLCOX APARTMENTS
117 PROSPECT ROAD, PROSPECT

DRAWING

GROUND FLOOR
SANITARY DRAINAGE ARRANGEMENT

HYDRAULIC SERVICES

SCALE	DATE
1:100@A1	SEPTEMBER 2018
DESIGNED	DRAWN
JZ	JZ/ML
No. IN SET	
3 OF 17	
DRAWING NUMBER	REVISION
LCE13523-H03	A